

IN THE CLAIMS:

1. (Original) A method for enabling a device function of a vehicle, the method comprising:

- receiving a speech input stream at a telematics unit;
- determining a speech input context for the received speech input stream;
- processing the received speech input stream based on the determination; and
- enabling the device function of the vehicle responsive to the processed speech input stream.

2. (Original) The method of claim 1 wherein determining a speech input context for the received speech input stream comprises:

- monitoring the speech input stream at a context recognizer, the context recognizer comprising a context verbiage;
- comparing the speech input stream to the context verbiage; and
- selecting one of a plurality of domain specific actuators based on the determined speech input context.

3. (Original) The method of claim 1 wherein processing the received speech input stream comprises:

- accessing a set of rules and structures for formatting the speech input stream according to the determined speech input context; and
- formatting the received speech input stream based on the set of rules and the structures.

4. (Original) The method of claim 3, wherein the set of rules and structures are contained in a domain specific actuator.

5. (Original) The method of claim 1 wherein enabling the device function of the vehicle comprises:

- writing the processed speech input stream in an activation cache; activating a vehicle device corresponding to the device function of the vehicle; and

supplying the processed speech input stream from the activation cache to the vehicle device.

6. (Original) The method of claim 1 further comprising: directing a vehicle device in control of the enabled device function of the vehicle based on the processed speech input stream.

7-12. (Cancelled)

13. (Original) A system for enabling a device function of a vehicle, the system comprising:

means for receiving a speech input stream at a telematics unit;

means for determining a speech input context for the received speech input stream;

means for processing the received speech input stream based on the determination; and

means for enabling the device function of the vehicle responsive to the processed speech input stream.

14. (Original) The system of claim 13 wherein determining a speech input context for the received speech input stream comprises:

means for monitoring the speech input stream at a context recognizer, the context recognizer comprising a context verbiage;

means for comparing the speech input stream to the context verbiage; and

means for selecting one of a plurality of domain specific actuators based on the determined speech input context.

15. (Original) The system of claim 13 wherein processing the received speech input stream comprises:

means for accessing a set of rules and structures for formatting the speech input stream according to the determined speech input context; and

means for formatting the received speech input stream based on the set of rules and the structures.

16. (Original) The system of claim 15 wherein the set of rules and structures are contained in a domain specific actuator.

17. (Original) The system of claim 13 wherein enabling the device function of the vehicle comprises:

means for writing the processed speech input stream in an activation cache;
means for activating a vehicle device corresponding to the enabled device function of the vehicle; and
means for supplying the processed speech input stream from the activation cache to the vehicle device.

18. (Original) The system of claim 13 further comprising: means for directing a vehicle device in control of the enabled device function of the vehicle based on the processed speech input stream.